

Birth Defect Registry System

Mississippi Department of Health

Data Structure

22-May-03

Contents

Primary

CASE_TBL	Case (Child) Data	1
CDIAG_TBL	Diagnoses per Case	3
CDIAG_RPT_TBL	Reports of Diagnoses by Hospitals	4
CASE_EVENT_TBL	Events for a Case	5
CHILD_ALIAS_TBL	Aliases per Case	6
FACIL_TBL	Facilities Tracked in BDRS	7
LOADCONCERN_TBL	Cases that the Load Process Flagged for Attention	8
PERSON_TBL	Persons (Contacts)	9
PERSON_GROUP_TBL	Linking table between Persons and Facilities	10
PERSON_GRPCTGIVER_TBL	Linking table between Persons and Cases	11

Reference

ATTENTION_TREF	Case Attention Flag Values	12
CDISP_TREF	Case Disposition Values	13
COUNTY_TREF	County Values	14
CSTATUS_TREF	Case Status Values	15
DELIVERY_STATUS_TREF	Child's Delivery Status	16
DIAG_CLASS_TREF	Class of ICD9 Code	17
DIAG_STATUS_TREF	Status of Diagnosis Confirmation	18
EVENT_CLASS_TREF	Type of Case Event	19
ICD10_GRP_TREF	ICD 10 Diagnosis Code Groups	20
ICD10_TREF	ICD 10 Diagnosis Codes	21
ICD9_GRP_TREF	ICD 9 Diagnosis Code Groups	22
ICD9_TREF	ICD 9 Diagnosis Codes	23
PCATEGORY_TREF	Category of Person	24
PCGRP_TREF	Person Caregiver Group	25
PGRP_MEMBER_TREF	Type of Member in Person Group	26
PGRP_TREF	Person Group	27
RACE_TREF	Child Race Values	28
RDIAG_STATUS_TREF	Diagnosis Report Status Values	29
SCR_TREF	Source of Data Values	30
ZIPCODE_TREF	Zip code values	31
ZipPlaceUnion_tref	Zip and Community Union Table	32

System

OBJ_TBL	Unique ID Generator for Hospitals, Districts, etc.	33
OBJ_TYPE_TREF	System	34

TableName **CASE_TBL**

Data: Case (Child) Data

PK_CASE_ID	Number (Long Integer)(4)	Autonumber field for the Case table.
FK_CSTATUS_CODE	Text(2)	O(pen),CL(osed),X (Deleted),
CSTATUS_COMMENTS	Text(255)	Current Comments about the status. (Don't change to smaller field size: several processes u
DISP_DATE	Data / Time(8)	Date of the latest Disposition Change.
FK_CDISP_CODE	Text(9)	Disposition of Case: maybe - Confirmed/All Refuted/Inelig-OutOfState/Inelig-DOB<Y2000/
REPORTING_DATE	Data / Time(8)	Date this was reported by the source. (Date of orig document or source file.)
FK_PERSON_ID_RPTPHY	Number (Long Integer)(4)	Id of the reporting physician for the original case..
FK_PERSON_ID_CURRPHY	Number (Long Integer)(4)	Id of the current pediatrician.
FK_OBJ_ID_RPTHOSP	Number (Long Integer)(4)	Link to Reporting Hospital (or other Facility) for the original case.
FK_ATTENTION_FLAG	Text(4)	New, Re-Opened, NeedsFollowUp, ...
DISTRICT_DATE	Data / Time(8)	Date district was notified.
FK_OBJ_ID_DIST	Number (Long Integer)(4)	Database ID of the Dept of Health District.
SEX	Text(3)	Sex of the Child
FK_RACE_CODE	Text(12)	Racial designation of this child.
HISPANIC	Text(1)	Is this child Hispanic?
BIRTH_DATE	Data / Time(8)	Date of Birth
BIRTH_CERT	Text(20)	Birth Certificate Number
C_SSN	Text(12)	Child's Social Security Number
C_MEDICAID_NUM	Text(13)	Child's Medicaid Number
FK_DELIVERY_STATUS_CODE	Text(12)	Live/Stillborn/...
NON_HOSP_BIRTH_LOC	Text(30)	If birth was not in hospital, this is where it was.
FK_OBJ_ID_HOSP	Number (Long Integer)(4)	Link to Hospital (or other Facility) of Birth.
FK_CASE_EVENT_ID	Number (Long Integer)(4)	Hospitalization of the birth. Is this necessary or helpful?
BIRTH_WGHT	Number (Long Integer)(4)	Birth weight in grams.
DEATH_DATE	Data / Time(8)	Date of Death.
DEATH_CERT	Text(20)	Death Certificate Number.
MULTIPLE_BIRTH	Text(30)	Single/Twin/Triplet/...
LAB_NO	Text(15)	Lab number, for new born screening test.
CLAST	Text(30)	Current Last Name of Child.
CFIRST	Text(30)	Current First Name of Child.
CMIDDLE	Text(30)	Current Middle Name of Child.
CSUFFIX	Text(30)	Current Suffix (Jr, III, ...) for the Child.
BADDR_COMMENTS	Text(255)	Comments added for user reference on source or concerns about the information for the birth
BRTHADDR	Text(30)	Child's Address at birth
BRTHCITY	Text(30)	Child's City at birth
BRTHST	Text(30)	Child's State at birth
BRTHZIP	Text(10)	Child's Zip at birth
C_ADDR_LOG	Memo(0)	Historical Record of Child's Address.
FK_COUNTY	Text(20)	Child's County at birth.
FSEIPDATE	Data / Time(8)	Date First Step Early Intervention Office was notified.
MOTHER_COMMENTS	Text(255)	Comments added for user reference on source or concerns about the information for the moth
M_LAST	Text(30)	Birth Mother's Last Name.
M_FIRST	Text(30)	Birth Mother's First Name.
M_MIDDLE	Text(30)	Birth Mother's Middle Name.
M_MAIDEN	Text(30)	Birth Mother's Maiden Name.
M_DOB	Data / Time(8)	Birth Mother's Date of Birth.
M_SSN	Text(12)	Birth Mother's Social Security Number
CASENARRATIVE	Memo(0)	Running narrative relative to the case activities.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)

Table / Field Attributes

SRC_DESC	Text(70)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.
LOAD_xferIDName	Text(50)	This is used during load of hospital transmittal data, and holds the ID and LastName from the
DUPL_CASE_ID	Text(20)	Temporary field to store number of Case ID it appears to match in SQL BDRS during reload S
ChkDataCaseIDFld	Number (Long Integer)(4)	For use by the End User's Data Validation/Cleanup process.
ChkDataCaseIDComment	Text(255)	For use by the End User's Data Validation/Cleanup process.

TableName **CDIAG_TBL**

Data: Diagnoses per Case

PK_CDIAG_ID	Number (Long Integer)(4)	Autonumber for the Case Diagnosis table.
FK_CASE_ID	Number (Long Integer)(4)	Database link to the Case.
FK_PERSON_ID_PHY	Number (Long Integer)(4)	Database link to the original referring physician, or the one designated as the Rpt Physician.
FK_OBJ_ID_RPTFACIL	Number (Long Integer)(4)	Database link to the original reporting facility, or the one designated as the Rpt facility.
RPT_DATE_ORIG	Data / Time(8)	Date of the original report of this diagnosis.
FK_ICD9_CODE	Text(9)	ICD9 code for this diagnosis.
FK_ICD10_CODE	Text(7)	ICD10 code for this diagnosis.
FK_DIAG_STATUS_CODE	Text(10)	Status of this diagnosis investigation.
DIAGSTATUSDATE	Data / Time(8)	Date of the diagnosis status resolution.
RECHECK_FLAG	Number (Integer)(2)	Used to mark the refuted diagnosis that are reported again later.
CAUSE_DEATH	Number (Integer)(2)	Marks the diagnosis that are a contributing factor to the death.
DIAG_COMMENTS	Text(255)	Comments about the diagnosis investigation.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(70)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **CDIAG_RPT_TBL**Data: Reports of Diagnoses by Hospitals

PK_CDIAG_RPT_ID	Number (Long Integer)(4)	Autonumber for this record
FK_CDIAG_ID	Number (Long Integer)(4)	Database link to the case diagnosis record.
FK_CASE_EVENT_ID	Number (Long Integer)(4)	Database link to the case event record.
FK_RDIAG_STATUS_CODE	Text(8)	Status of the investigation for this report.
STATUS_DATE	Data / Time(8)	Date of the Status.
RPT_COMMENTS	Text(255)	Comments for this record.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(70)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **CASE_EVENT_TBL**

 Data: Events for a Case

PK_CASE_EVENT_ID	Number (Long Integer)(4)	ID for Medical Visit, usually hospitalization, but could be visit to Clinic, Dr's Office, etc.
FK_CASE_ID	Number (Long Integer)(4)	Link to the Case.
FK_EVENT_CLASS_CODE	Text(15)	Code for type of event: Hospitalization, Dr's Visit, Clinic Visit, NBScreening, etc.
FK_OBJ_ID_FACIL	Number (Long Integer)(4)	ID of the Hospital, Clinic, Dr's Office, etc.
FK_PERSON_ID_PROV	Number (Long Integer)(4)	Link to the table containing the Physicians' records.
MED_REC	Text(30)	Medical Record if Hospitalization, or lab number for NB Screening, etc.
ADMIT_DATE	Data / Time(8)	Admission Date (For Hospitalizations), or date of New Born Screening test, etc.
DISCH_DATE	Data / Time(8)	Discharge Date (For Hospitalizations)
DISCH_TO	Text(50)	Other hospital, home, or
FK_PCGRP_CODE	Text(20)	This hospitalization's Caregiver's relationship to Patient
CGLAST	Text(50)	Caregiver's Last Name.
CGFIRST	Text(40)	Caregiver's First Name.
CGMIDDLE	Text(10)	Caregiver's Middle Name.
CGSUFFIX	Text(15)	Caregiver's Suffix Name.
CGADDR	Text(50)	Caregiver's Address.
CGCITY	Text(30)	Caregiver's City
CGST	Text(2)	Caregiver's State
CGZIP	Text(12)	Caregiver's Zipcode.
CGPHONE	Text(30)	Caregiver's Phone Number
FK_COUNTY	Text(30)	County of the Caregiver.
EVENT_COMMENTS	Memo(0)	Comments for this event.
NON_BD_DIAG	Text(255)	Diagnosis codes that aren't in the Birth Defect List.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(70)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **CHILD ALIAS TBL**

Data: Aliases per Case

FK_CASE_ID	Number (Long Integer)(4)	Link to the Case record.
PK_CHILD_ALIAS_ID	Number (Long Integer)(4)	Autonumber ID of this record.
CA_LAST	Text(30)	Last Name of Child.
CA_FIRST	Text(30)	First Name of Child.
CA_MIDDLE	Text(30)	Middle name of child.
CA_SUFFIX	Text(30)	Suffix of child's name (Jr, III, etc.)
FROM_DATE	Data / Time(8)	Beginning date the name was known to have been used.
TO_DATE	Data / Time(8)	Last Date the name was known to have been used.
ALIAS_COMMENTS	Text(255)	Comments about this Alias.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(50)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.
IS_CURRENT	Number (Integer)(2)	Mark this record with -1 if this is the current name for this child.

TableName **FACIL_TBL**

Data: Facilities Tracked in BDRS

FK_OBJ_ID	Number (Long Integer)(4)	Object ID from the Object_table for this facility.
HOSPITAL_CODE	Text(20)	3 or 4 letter identifier set within the Mississippi hospital system to identify hospitals.
FACIL_NAME	Text(60)	
PARENT_CO	Text(45)	Parent company that owns this hospital/clinic.
BIRTHING_HOSP	Yes / No(1)	Is this hospital currently a birthing hospital?
FK_PARTICIP_CODE	Text(15)	The status of this hospital regarding Birth Defect Registry Participation.
STATUS_COMMENTS	Memo(0)	
MAINPH	Text(30)	
MLGADDR1	Text(50)	
MLGADDR2	Text(50)	
MLGCITY	Text(30)	
MLGST	Text(2)	
MLGZIP	Text(12)	
PHYADDR1	Text(50)	
PHYADDR2	Text(50)	
PHYCITY	Text(30)	
PHYST	Text(2)	
PHYZIP	Text(12)	
FK_COUNTY	Text(20)	
INITIAL_CONTACT	Data / Time(8)	
INITIAL_MEETING	Data / Time(8)	
INITIAL_DATA	Data / Time(8)	
TRANSFREQUENCY	Text(10)	Frequency of the transmittals: monthly, quarterly, adhoc.
TRANSMEDIA	Text(10)	Media used for transmittal: disk, cd, email file, paper
DUE_DAY	Text(30)	Day of the month the data is expected. (i.e. '15th')
TRANSDISC	Text(255)	Comments about the transmittal agreement.
DATA_FORMAT	Text(255)	
NARRATIVE	Memo(0)	General description of communication/desc
FK_CURRENT_ACTIVITY_COD	Text(25)	'Waiting for data', Waiting for Response, Need to Call, etc.
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(50)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **LOADCONCERN_TBL**Data: Cases that the Load Process Flaqqed for Attention

PK_LOADCONCERN_ID	Number (Long Integer)(4)
QUESTION_DATE	Data / Time(8)
FK_CASE_ID	Number (Long Integer)(4)
CONCERNING	Text(255)
RECONCILED_STATUS	Number (Long Integer)(4)
MOD_BY	Text(50)
MOD_DATE	Data / Time(8)
LCComments	Text(255)

TableName **PERSON_TBL**

Data: Persons (Contacts)

PK_PERSON_ID	Number (Long Integer)(4)	Database Autonumber for the person table.
TMPFIELDUSEDFORLINKING	Text(15)	(Dont remove, used during imports for linking records.)
FK_PCATEGORY_CODE	Text(20)	Category of this person. (i.e.
COMPANY	Text(50)	Company name (optional), mainly used for tracking companies rather than individuals
SALUTATION	Text(8)	Salutation
NAME_FIRST	Text(40)	First name
NAME_MI	Text(10)	Middle initial
NAME_LAST	Text(50)	Last name
NAME_SUFFIX	Text(15)	Optional: Suffix to use after last name (Jr., P.E., etc.)
GREETING	Text(50)	Greeting to use for correspondence
MLG_ADDR1	Text(50)	First address line for mailing address
MLG_ADDR2	Text(50)	Second address line for mailing address
MLG_CITY	Text(30)	City for mailing address
MLG_ST	Text(2)	State for mailing address
MLG_ZIP	Text(12)	Zip for mailing address
PHY_ADDR1	Text(50)	First address line for Physical address
PHY_ADDR2	Text(50)	Second address line for Physical address
PHY_CITY	Text(30)	City for Physical address
PHY_ST	Text(2)	State for Physical address
PHY_ZIP	Text(12)	Zip for Physical address
FK_COUNTY	Text(20)	County
PH_BUSINESS	Text(30)	Business phone
PH_HOME	Text(30)	Residential phone
PH_FAX	Text(30)	Fax phone
PH_4	Text(30)	extra contact number
PH_5	Text(30)	extra contact number
pH_6	Text(30)	extra contact number
EMAIL	Text(30)	E-mail address
PCOMMENTS	Memo(0)	Comments about this person
EXTRACOMMENTS	Text(200)	Added for FBO's Business Activities. May be used for other things with different person grou
INCL	Text(1)	Flag to use as desired for sorting purposes. (Perhaps for inclusion in directory, etc.)
CREATE_DATE	Data / Time(8)	Date record was created in the database.
FK_SRC_CODE	Text(3)	Type of source that created the record (Hosp Summary, Manual Entry, etc.)
SRC_DESC	Text(50)	Full description of the import source for this record.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **PERSON_GROUP_TBL**Data: Linking table between Persons and Facilities

PK_PERSONGRP_ID	Number (Long Integer)(4)	
FK_PERSON_ID	Number (Long Integer)(4)	
FK_PGRP_CODE	Text(25)	Group this member is assigned to
TMPFIELDFORLOADING	Text(50)	temporary field used for update query
FK_PGRP_MEMBER_CODE	Text(20)	Type of member
TITLE_IN_GROUP	Text(30)	Title to be used in this group
FK_OBJ	Number (Long Integer)(4)	(hidden object code to link to the facility or organization)

TableName **PERSON GRPCGIVER_TBL**Data: Linking table between Persons and Cases

PK_PERSON_GRPCGIVER_ID	Number (Long Integer)(4)	
FK_PCGRP_CODE	Text(20)	Type of relationship to patient
FK_PERSON_ID	Number (Long Integer)(4)	
TMPFIELDFORLOADING	Text(50)	temporary field used for update query
CG_NOTES	Text(30)	Notes to be used in this group
FK_CASE_ID	Number (Long Integer)(4)	(hidden object code to link to the case.)
EFF_DATE	Data / Time(8)	Original date this Caregiver was related to this Child.
STOP_DATE	Data / Time(8)	Date when this Caregiver was no longer related to this child.
CURRENT_CG	Number (Integer)(2)	Is this a current Caregiver for this child? (Loaded from Orig BDRS in July 2001, and kept.)

TableName **ATTENTION_TREF**

Data: Case Attention Flaq Values

PK_ATTENTION_CODE	Text(3)
ATT_DESCR	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Number (Long Integer)(4)

TableName ***CDISP_TREF***

Data: Case Disposition Values

PK_CDISP_CODE	Text(9)
CDISP_DESCR	Text(30)
FK_CSTATUS_CODE	Text(2)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **COUNTY_TREF**

Data: County Values

PK_COUNTY	Text(20)	Actual County Name, which is used as the Code for the County_tref table.
ST_CNTY_NUM	Number (Long Integer)(4)	2 digit State County Code for each county.
CSTATE	Text(2)	State
FK_OBJ_ID_DOHDIST	Number (Long Integer)(4)	LINK TO THE OBJECT TABLE FOR THE DOH DISTRICT

TableName **CSTATUS_TREF**
Data: Case Status Values

PK_CSTATUS_CODE	Text(2)
CSDESCR	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **DELIVERY STATUS TREF**

Data: Child's Delivery Status

PK_DELIVERY_STATUS_CODE	Text(12)
DelDescr	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Number (Long Integer)(4)

TableName **DIAG CLASS TREF**
Data: Class of ICD9 Code

PK_DIAG_CLASS_CODE	Text(25)
C_DESCR	Text(75)
USER_MOD	Number (Long Integer)(4)

TableName **DIAG STATUS TREF**

Data: Status of Diagnosis Confirmation

PK_DIAG_STATUS_CODE	Text(9)
STATUS_DESCR	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **EVENT_CLASS_TREF**
Data: Type of Case Event

PK_EVENT_CLASS_CODE	Text(15)
EClass_DESCR	Text(50)
USER_MOD	Number (Long Integer)(4)
FK_OBJ_TYPE_CODE	Text(25)

TableName ***ICD10_GRP_TREF***

Data: ICD 10 Diagnosis Code Groups

PK_ICD10_GRP_CODE	Text(255)	
GRP_DESC	Text(255)	
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName ***ICD10_TREF***Data: ICD 10 Diagnosis Codes

PK_ICD10_CODE	Text(255)	
ICD10_DESC	Text(255)	
FK_ICD10_GRP_CODE	Text(30)	
FK_DIAG_CLASS_CODE	Text(25)	Same values from Manual Reporting Card, Craniofacial, Genetic Disorders, etc.
TRACKING_LEVEL	Text(5)	Will be used to designate which codes are for Birth Defects. Not implemented as of 8/01.
MOD_BY	Text(20)	User name of person who last modified this record.
MOD_DATE	Data / Time(8)	Date this record was last modified.

TableName **ICD9_GRP_TREF**
Data: ICD 9 Diagnosis Code Groups

PK_ICD9_GRP_CODE	Text(100)
DG_DESCR	Text(75)
USER_MOD	Number (Long Integer)(4)

TableName **ICD9_TREF**Data: ICD 9 Diagnosis Codes

PK_ICD9_CODE	Text(9)	
FK_DIAG_CLASS_CODE	Text(25)	Same values from Manual Reporting Card, Craniofacial, Genetic Disorders, etc.
FK_ICD9_GRP_CODE	Text(100)	Values from the original list sent to Hospitals of ICD9 codes
DIAG_DESC	Text(255)	
TRACKING_LEVEL	Text(3)	This will be used later to designate which icd9's are for Birth Defects versus other items to tra
MOD_DATE	Data / Time(8)	
MOD_BY	Text(20)	
OLD_ICD9_ID	Number (Double)(8)	DELETE THIS LATER.

TableName **PCATEGORY_TREF**Data: Category of Person

PK_PCATEGORY_CODE	Text(25)	
PCATEG_DESCR	Text(75)	
EVENT_PROVIDER	Number (Long Integer)(4)	Indicates use as a health care provider in the various Event pickboxes.
CARE_GIVER_USE	Number (Long Integer)(4)	Indicates use by Care Giver child table. Similiar to Event Provider, but includes CaseSpecific
AUTO_AFFECT	Text(30)	
AUTO_AFFECT_DESCR	Text(30)	
USER_MOD	Yes / No(1)	

TableName **PCGRP_TREF**

Data: Person Careqiver Group

PK_PCGRP_CODE	Text(15)
CGDESCR	Text(30)
FK_PCATEGORY_CODE	Text(25)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Yes / No(1)

TableName **PGRP_MEMBER_TREF**Data: Type of Member in Person Group

FK_PGRP_CODE	Text(25)	
PK_PGRP_MEMBER_CODE	Text(20)	Type of group member.
USERMODIFIABLE	Yes / No(1)	
USE_FOR	Text(30)	ICG indicates group for "Individual Care Giver" on a Case

TableName **PGRP_TREF**

Data: Person Group

PK_PGROUP_CODE	Text(25)	group name to use in the people's table
LIST_ORDER	Number (Double)(8)	item sort order in the various list boxes
USERMODIFIABLE	Yes / No(1)	

TableName **RACE_TREF**
Data: Child Race Values

PK_RACE_CODE	Text(12)
RDESCR	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **RDIAG STATUS TREF**
Data: Diagnosis Report Status Values

PK_RDIAG_STATUS_CODE	Text(9)
STATUS_DESCR	Text(30)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **SCR_TREF**

Data: Source of Data Values

PK_SRC_CODE	Text(3)
SRC_DESC	Text(45)
AUTO_AFFECT	Text(30)
AUTO_AFFECT_DESCR	Text(30)
USER_MOD	Text(1)

TableName **ZIPCODE_TREF**

Data: Zip code values

PK_ZIPCODE_CODE	Text(5)	
FK_COUNTY	Text(20)	Primary County Only. May be deleted later if junction table is used for the zip, community, a
ZState	Text(2)	

TableName **ZipPlaceUnion_tref**

Data: Zip and Community Union Table

ZipCode	Text(255)
Community	Text(255)
UsePref	Text(255)

TableName **OBJ_TBL**Data: Unique ID Generator for Hospitals, Districts, etc.

FK_OBJ_TYPE_CODE	Text(25)	Probably only Hospital or Other.
PK_OBJ_ID	Number (Long Integer)(4)	Unique numeric facility code used by program to link related tables together.
OBJECT_NAME	Text(70)	
OBJ_STATUS	Text(6)	

TableName **OBJ_TYPE_TREF**

Data: System

PK_OBJ_TYPE_CODE	Text(25)	
OBJ_TYPE_DESCR	Text(75)	
FOR_BIRTHLOC	Number (Long Integer)(4)	Indicates whether this Object Type is to be used as a source for the event table. 8/22/01 prob
USER_MOD	Number (Long Integer)(4)	